

TOUGH

Rust Protection

Sometimes, working hard involves getting dirty. Thanks to rust and corrosion measures, such as galvanised steel plates for the entire bed and undercoating and sealer across the underbody, the all-new Carry is ready for work in even the toughest environments.



Heavy-duty Suspension





Front

The McPherson strut front suspension provides good performance while retaining toughness. The suspension frame employs a pillar structure that provides excellent lateral rigidity.

Rear

The leaf-spring, rigid axle rear suspension is rugged enough to handle Carry's large hauling capacity. The 5-leaf-spring mechanism is placed over the axle housing to increase road clearance. What's more, this suspension reduces vertical displacement even when fully loaded.

COMFORT



Sliding Driver's Seat

Air ConditionerAfter a hard day of work look forward to air conditioning on

your ride home.

A sliding seat mechanism allows you to adjust the driver's seat a total of 105 mm, so you can select your most comfortable driving position.



Electric Power Steering

When hauling heavy loads, electric power steering helps lessen the work. The EPS unit adjusts the level of assistance depending on speed to make steering more intuitive and more comfortable.

Plenty of Storage

Lots of storage space for receipts, water bottles, documents or whatever you need to keep within arm's reach.



Instrument panel upper box



Instrument panel lower box



Cup holder

PERFORMANCE



1.5-litre Engine (K15B)

The lightweight, fuel-efficient 1.5-litre engine delivers plenty of output power and torque over the entire range, ideal for hauling heavy loads.

Minimum Turning Radius

Thanks to the short wheelbase, Carry's minimum turning radius is just 4.4 meters, allowing you to easily get in and out of tight work sites.





Immobiliser

The immobiliser system and key use an embedded electronic code to protect your Carry from theft.

CARRY MORE

When work gets hard, you need a partner that's just as tough as you are. Backed by more than 40 years of Suzuki compact truck experience in the harshest environments, the all-new Carry is ready to go to work for you.



CARGO



Extra-large Loading Capacity

One of the most important features for a work vehicle is how much you can haul. The all-new Carry can handle a massive 940 kg, including passengers, with excellent weight distribution.

3-sided Access

Makes loading and loading easier in confined work sites.



22 Rope Hooks

22 rope hooks for securing a variety of cargo with rope.



MAJOR EQUIPMENT


Engine	ne ne		Petrol	
Deliver and the second		K15B 2WD		
Drive system				
Transmission		-	MT	
Gate type		3 Way	Cab	
Bed type		Wide	Chassi	
CHASSIS	405/00 040 04/00047			
Tyres and wheels	165/80 R13 94/93N LT + steel wheel	S	S	
Spare tyre and wheel	165/80 R13 94/93N LT + steel wheel	S	S	
EXTERIOR	Forms			
Mud flaps	Front	S	S	
Andrea	Rear	S	-	
Angle post	T. T. A. C. D. O.	S	-	
Rope hooks	Tailgate (upper) x 2	S	-	
	Tailgate (under) x 2	S	-	
	Side panels (upper) x 10 (one side x 5)	S	-	
5 1 1 11	Side panels (under) x 8 (one side x 4)	S	-	
Body coloured bumper		S	S	
VISIBILITY	THE DESCRIPTION OF THE PROPERTY OF THE PROPERT			
Headlamps	Halogen multi-reflector	S	S	
Wipers	Front: 2-speed (low, high) + intermittent + washer	S	S	
Outside door mirrors	Manually adjustable	S	S	
STEERING AND INSTRUMENT P				
2-spoke steering wheel	Polypropylene	S	S	
Power steering		S	S	
Low fuel warning	Lamp	S	S	
DRIVING AMENITIES				
Air conditioner	Manual	S	S	
Heater		S	S	
Audio	Antenna (mounted on pillar)	S	S	
	Speaker x 2	S	S	
	1DIN MP3 USB player + AM/FM radio (with small box)	S	S	
INTERIOR				
Cabin lights	Front cabin light (2-position)	S	S	
Sun visor	Driver side	S	S	
	Passenger side	S	S	
Ride-in assist grips	Assist grip on A-pillar (both sides)	S	S	
Cup holder	Driver side	S	S	
12V interior accessory socket	Instrument panel x 1	S	S	
Storage	Instrument panel upper box	S	S	
	Instrument panel lower box	S	S	
SEATS				
Front seats	Slide function	S	S	
Head restraints	Driver side	S	S	
	Passenger side	S	S	
SAFETY AND SECURITY				
Seatbelts	3-point ELR seatbelts x 2	S	S	
Steering lock		S	S	
Immobiliser		S	S	


S: Standard -: Not available


MAJOR SPECIFICATIONS

Number of doors			2			
Engine			Petrol			
		ı	1.5L			
Drive system			2WD			
Transmission			5MT			
Gate type			3 Way	Cab Chassis		
DIMENSIONS			o may	000 01103313		
Overall length mm			4,195	4,155		
Overall width mm		\rightarrow	1,765	1,675		
Overall height mm		\rightarrow	1,910	1,870		
Wheelbase mm		\rightarrow	2,205			
Tread		\rightarrow	1,465			
lifeau	Front mn Rear mn	\rightarrow				
Cargo had langth		\rightarrow	1,460			
Cargo bed length mm		\rightarrow	2,375	-		
Cargo bed width			1,660	-		
Cargo bed height	mn	\rightarrow	355	-		
Minimum turning radius m		\rightarrow	4.4			
Minimum ground clear	ance mn	า	160			
CAPACITIES		1				
Seating capacity	persons	s		2		
Loading capacity	Max. weight k	g	940	-		
Fuel tank capacity	litre	s	4	3		
ENGINE						
Туре			K15B			
Number of cylinders			4			
Number of valves		T	16			
Displacement cm ³		3	1,462			
Bore x stroke mm		n	74.0 x 85.0			
Compression ratio			10			
Maximum output kW / rpm		n	71 / 5,600			
Maximum torque	N·m / rpn		135 / 4,400			
Fuel distribution		\neg	Multipoint injection			
TRANSMISSION				Multipolit injection		
Туре		7	51	ΛТ		
Gear ratio	1st	+	3.580			
	2nd	\dashv	2.095			
	3rd	\dashv		31		
	4th	+		100		
	5th	\dashv	0.855			
	Reverse	+		27		
Final gear ratio	NC VCI 3C	+	4.875			
CHASSIS			4.070			
Steering			Dack 9	ninion		
Brakes	Front	+	Rack & pinion			
piakes	Rear	+	Ventilated disc			
Cuananaian	Front	\dashv	Drum			
			herson strut with coil spring			
T	Rear	\rightarrow	Leaf rigid axle 165/80 R13			
Tyres			165/8	U K13		
WEIGHTS			1.070	0		
Kerb weight	k		1,070 940			
Gross vehicle weight kg			2,0)10		
PERFORMANCE						
Maximum speed km/h		ı	140			

DIMENSIONS







BODY COLOURS





hite (26U)

Silky Silver Metallic (Z2S)



Real Black (ZBC)

